

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	09/938,935	HALLMAN, JOHN H.
	Examiner Derrick G. Hamlin	Art Unit 1751

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the application filed 8/24/01.
2.  The allowed claim(s) is/are 1-20.
3.  The drawings filed on 24 August 2001 are accepted by the Examiner.
4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 8/01, 5/02, 1/02
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

**CHARLES BOYER  
PRIMARY EXAMINER**



## DETAILED ACTION

### ***Allowable Subject Matter***

Claims 1-20 are allowed.

The following is an examiner's statement of reasons for allowance: Gavlin et al. (5,725,637) discloses a process for dehydrating gaseous fluids, such as natural gas, in which the gaseous fluid is contacted with a dehydrating composition having a glycol and a dissolved salt of at least one alkali metal carboxylate, further teaching that potassium formate is added to a glycol to increase the capacity of the glycol to absorb water from a gas stream. (abstract and col. 2, lines 18-27)

With respect to claims 1-16, 19 and 20 the reference fails to teach that the required and instantly claimed cavitation regenerator be used to remove the water from the starting solution. In light of the specification cavitation regenerator have specific parts, heat sources and structures that make them more beneficial to the invention. The reference fails to teach the method for drying a gas employing a dual potassium formate solution, both being concentrated in the first contactor in a continuous process of claims 17 and 18. Similarly, claims 8-13 also employ a dual potassium formate solution, required here to have different concentrations. Although the solutions would inherently take on water, claims 1-7 employ a aqueous solution to remove water and none of the cited references have a water absorbing fluid that starts out aqueous.

Therefore it would not have been in the preview of the skilled artisan to practice the instantly claimed methods in view of Gavlin or any of the other cited references.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Derrick G. Hamlin whose telephone number is (571) 272-1317. The examiner can normally be reached on Monday-Fridays from ~8:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Yogendra Gupta, can be reached on (571) 272-1316. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Derrick G. Hamlin

3/21/04

CHARLES BOYER  
PRIMARY EXAMINER

